

1.933
Su 63

UNITED STATES DEPARTMENT OF AGRICULTURE
 ✓ Rural Electrification Administration
 Washington 25, D. C.

✓ TECHNICAL STANDARDS COMMITTEES
 Month of April, 1949

The following is a summary of the changes in the "List of Materials Acceptable For Use on REA-Financed Systems" resulting from decisions of the Technical Standards Committees during the month of April 1949:

1. Page a-2 Insulator, pin type

Delete Porc. Prod. numbers 6034M, 6033M, 6134M, 6133M, 6137M, and 6138M.

As multi-part insulators add Porc. Prod. numbers 6423M, 6446M, 6455M, and 6469M for 22, 33, 44, and 66 kv, respectively.

2. Page k Insulator, suspension

Page k-1

Delete Ill. Elec. Porc. number 1259 as a 7.2/12.5 kv insulator.

Add Ill. Elec. Porc. number 1253 as a ball and socket type insulator for 22, 33, 44, and 66 kv.

Page k-2

Delete Thomas number 1277 as a 7.2/12.5 kv insulator.

3. Page z Anchors, Expanding and Plate

Page z-1

Add Electrical Mfg. Co. numbers 401-A, 402-A, and 403-A as 2-way type expanding anchors for 6000, 8000, and 12000 lbs., respectively.

Page z-2

Add Kearney No. 8136 as a 2-way type expanding anchor for 12,000 lbs.


4. Page ai-2 Rods, ground

Add Seyler numbers as follows:

Description	
5/8" x 8' (Copperweld)	
5/8" x 9' "	"
5/8" x 10' "	"

Catalog No.

8438
8439
8440



2-Technical Standards Committees
Materials List Changes - Month of April 1949

<u>Description (contd.)</u>	<u>Catalog No.</u>
3/4" x 8' (Glvd. steel)	8618
3/4" x 12' (Copperweld)	8452
3/4" x 16' "	8456
3/4" x 18' "	8458
1" x 16' "	8476
1" x 18' "	8478
1" x 20' "	8479

5. Page al Staples, ground wire

Add Seyler numbers as follows:

<u>Description</u>	<u>Catalog No.</u>
9 Ga. x 1 1/2" long x 3/16" spread	7511 3/4
1 1/2" long x 3/8" spread, Copperweld	6652

6. Page at Guy Guard

Add Hubbard number 7558 under half-round, 8 ft. long by 14 gauge minimum.

7. Page bi Gain, Pole

Add Seyler number 4092.

8. Page cg-3 Switches, pole top, air-break, group-operated

Southern States type WAG switch is added under 3-insulator to replace type CH.

9. Page cr Brackets, angle suspension

Add Seyler number 5728 as a 3/4" dia. bracket.

10. Page cs Bracket, pole top for pin-type insulator

Add Seyler number 2037.

11. Page ct Plate, double arming

Add Seyler number 5844 under 4" x 1/2" x 24".

12. Page cu Braces, crossarm wood

Add Seyler numbers as follows:

<u>Description</u>	<u>Catalog No.</u>
48" x 18" drop	4548
60" x 18" drop	4560

3-Technical Standards Committees

Materials List Changes - Month of April 1949

13. Page cy Sleeve, splicing, compression type

Add new heading "High Strength Steel Wire" for wire size 3/8". Under this heading add Kearney number 16066.

14. Page dd Adapter, insulator

Add Seyler number 4058 for bolt size 5/8".

15. Page du Extension links

Add Seyler number 5715.

16. Page dx Eye bolt, pole top pin

Add Seyler number 2152.

17. Page dz Clip, guy wire

Add Seyler numbers as follows:

<u>Description</u>	<u>Catalog No.</u>
3/8"	6454
7/16"	6455
1/2"	6456

18. Page ef Bolt, clevis type

Add Seyler numbers as follows:

<u>Description</u>	<u>Catalog No.</u>
5/8" x 9"	5809
5/8" x 14"	5814
3/4" x 9"	5829
3/4" x 14"	5834

19. Page eg Plates, crossarm reinforcing

Add Seyler number 4047

20. Page ek Locknuts

Add Seyler numbers as follows:

<u>Description</u>	<u>Catalog No.</u>
1/2"	3531
5/8"	3532
3/4"	3533

